Request for X-Ray/Ultrasound	Patient Informatio	on
	Humber River Name	
1235 Wilson Ave. LEVEL 2 EAST	OHIP #	VC
Toronto, ON M3M 0B2		Sex 🗆 M 🗆 F
Phone 416-242-1000 Ext. 63311 Fax 1-855	-932-1264 Address	
Appt. Date Appt. Time	City	PC
Appt. Date Appt. Time Phone X-Ray - No Appointment Needed Unless Specified Phone		
Head and Neck	Chest and Abdomen	Spine
□ Skull	Chest PA-Lat	Cervical
	$\square R \square L$ Ribs (Incl. PA Chest)	
□ Nasal Bones	Sternoclavicular Joints	□ SI Joints
□ Facial Bones	□ Abdomen KUB (1 View)	□ Sacrum
Panorex	□ Abdomen Series (3 Views)	
Soft Tissue Neck		□ Scoliosis PA
		□ Scoliosis PA-Lat
Upper Extremities	Lower Extremities	Special Tests
🗆 R 🗆 L Clavicle	□ Pelvis	□ Skeletal Survey (Metastases)
R L Acromioclavicular Joints	I 3 Foot Standing - Hips to Ankles	□ Skeletal Survey (Arthritis)
🗆 R 🗆 L Scapula	□ R □ L Hip (Incl. Pelvis)	
□ R □ L Shoulder	□ R □ L Femur	(By Appointment Only)
□ R □ L Humerus		□ Upper GI Series
	R L Tibia and Fibula	Barium Swallow
□ R □ L Forearm □ R □ L Wrist	□ R □ L Ankle □ R □ L Calcaneus	Small Bowel Follow Thru
R L Scaphoid		□ Nerve Block (Side/Levels)
\Box R \Box L Hand	$\square R \square L$ Toe 1 2 3 4 5	□ Facet Block (Side/Levels)
□ R □ L Finger 1 2 3 4 5		□ Joint Injection (Specify)
Ultrasound - By Appointment Only		
General	Vascular	Musculoskeletal
□ Abdomen	Bilateral Carotid Arteries	□ R □ L Shoulder
□ Pelvis	Abdominal Aorta	□ R □ L Elbow
Thyroid	Bilateral Arm Arteries	□ R □ L Wrist
□ Neck	Bilateral Arm Veins	□ R □ L Hand
	Bilateral Leg Arteries	
□ Scrotum	□ R □ L Leg Veins	□ R □ L Knee □ R □ L Achilles Tendon
□ Soft Tissue (Specify)		
	Special Tests	Supplementary Information
□ < 16 Weeks □ 16-20 Weeks	 Paediatric Head Paediatric Hips (> 6 Weeks Old) 	Height cm Weight kg Table Weight Limit is 227 kg/500 lbs
$\square > 20$ Weeks		
□ High Risk Pregnancy	Thyroid Biopsy Prostate Biopsy	□ Y □ N Taking Blood Thinners □ Y □ N Allergies
Biophysical Profile	Organ Biopsy (Specify)	
	· · · · · · · · · · · · · · · · · · ·	Referring Doctor Information
Other Test Not Listed		_
		Name (PRINT) Address
Clinical Information		Address City
		Phone
		Fax
		Signature
		CPSO #
		Billing #

INCOMPLETE, ILLEGIBLE AND/OR UNSIGNED REQUISITION FORMS WILL BE RETURNED

Form # 000103, version (11-2020)



Ultrasound Preparations

<u>Abdomen</u> (Approximately 30 min)

Do not eat solid food for 8 hours before your test. Small amounts of clear fluids are allowed (ie., water, juice, black coffee/tea). You must eat a fat free dinner the night before your test (ie., skinless chicken, lean meats, no oily fish, no fried foods, no dairy products).

Pelvis (Approximately 30 min)

Drink 32-48 oz (4-6 cups) of water 1 hour before your test. Do not empty your bladder.

Abdomen and Pelvis, Same Visit (Approximately 45-60 min)

Do not eat solid food for 8 hours before your test. You must eat a fat free dinner the night before your test (ie., skinless chicken, lean meats, no oily fish, no fried foods, no dairy products). Drink 32-48 oz (4-6 cups) of water 1 hour before your test. Do not empty your bladder.

Prostate (Approximately 30 min)

You must purchase Fleet Enema from a pharmacy and follow the instructions included with the product. Start using Fleet Enema 2 hours before your appointment time. Drink 32-48 oz (4-6 cups) of water 1 hour before your test. Do not empty your bladder. Additional instructions will be provided if you are scheduled for a prostate biopsy.

Biopsy (Up to 2 hours)

Specific instructions will be provided for the biopsy being performed.

X-Ray Preparations

Upper GI/Barium Swallow (Approximately 15-45 min)

Nothing to eat or drink 8 hours before your test.

<u>Small Bowel Follow Thru</u> (Up to 5 hours)

Nothing to eat or drink 8 hours before your test.

Barium Enema (Approximately 1 hour)

You must purchase a bowel preparation, such as CoLyte, from a pharmacy and follow the instructions included with the product. You must only have clear fluids for the entire day before your test as well as on the day of your test.

Special Tests Preparations

Joint Injection (Approximately 45 min)

No preparation is required. If the joint being injected is below the waist you must bring a driver with you to take you home after your procedure. If you are taking blood thinners, please consult with your family doctor about stopping these medications before your appointment date.

Nerve Root Block/Facet Block (Up to 2 hours)

Do not take pain medications on the day of your test. You must bring a driver with you to take you home after your procedure. If you are taking blood thinners, please consult with your family doctor about stopping these medications before your appointment date.

No preparation is required for tests not listed above.

Please bring this form, your health card, and photo ID along with you to your appointment.

Test times do not include the time you may be in the waiting room before your test.

The Medical Imaging Department is located on the east side of the hospital on Level 2. Enter the hospital through the East Entrance after parking your vehicle in the East Parkade, or through Portal of Care A on the south side of the hospital if you are being dropped off. Take the East Outpatient Elevators to Level 2 and turn left after exiting the elevator lobby.

For your safety and to help make your visit easier, please remember to bring any assistive devices (eg., cane, walker, wheelchair, Hoyer lift sheet in place, etc.) along with you to the hospital.

Please call 416-242-1000 Ext. 63311 if you have any questions.